TOMYTEC



BORG 55FL TELESCOPE SET [6155] Assembly Diagram

How to assemble

- <1> Connect each part as shown in the diagram below.
 - * When connecting, please also refer to the instruction manual that comes with each part.

How to use

- <1> Loosen the locking screw on the Lens barrel DX-SD [6011] and extend or retract the Draw Tube to adjust the focus.
- To fine-tune the focus, rotate the M57 Helicoid DX II [7761] to achieve full focus.


⟨Accessories in this set⟩

- 1 [2555] 55FL Objective lens
- (2) [7761] M57 Helicoid DX II
- ③ [6011] Lens barrel DX-SD
- (4) [7364] M57 to M36.4 AD

- (5) [7314] 31.7mm Eyepiece holder SS
- 6 [7779] Upright prism EP-3
- 7 [8909] Eyepiece UW 9mm
- 8 [8920] Eyepiece UW 20mm

[8909]


[8920]






How to connect the tele lens set, telescope set to cameras

Please refer to the following diagrams and make use of the necessary parts when connecting to the various models of camera.





1) When connecting to an SLR camera body:

[5002 to 5009], [50021] or [5018] Camera mount

+ SLR camera body

2 When connecting a mirrorless camera body:

[7921] M49.8 Extension tube S

- + [7922] M49.8 Extension tube M
- + [5011 to 5013] or [5015 to 5017] Camera mount
- + Mirrorless camera body

3 When connecting to a Four Thirds camera body:

[7921] M49.8 Extension tube S

- + [5010] Camera mount for Four Thirds
- + Four Thirds camera body

4 When connecting to a PENTAX Q camera body:

[7879] 60mm Spacer 2mm

- + [7921] M49.8 Extension tube S x2
- + [7922] M49.8 Extension tube M
- + [5014] Camera mount for use with PENTAX Q
- + PENTAX Q camera body

T2017-4A